

Notice of Allowability

Application No.

10/603,668

Applicant(s)

SCHUSTER ET AL.

Examiner

Brij B Shrivastav

Art Unit

2859

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment dated August 5, 2004.
2. ☒ The allowed claim(s) is/are 1-14.
3. ☒ The drawings filed on 10/27/03 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 3/19/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Art Unit: 2859

1. Applicants' amendment dated August 5, 2004 has been received and entered.

Pending claims in the application are 1-14, which are in allowable condition.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

Claims 1, 2 and 9-13 are allowed, as the prior art of record does not teach or suggest a connection device for poisoning a gradient coil assembly in a basic field magnet assembly of a magnetic resonance tomograph, wherein the connection device being primarily a closed annular clamp element with a conical internal surface engaging a position of an external surface of the gradient coil assembly, as the clamp element is centered between the gradient coil assembly and the basic magnetic field magnet assembly, in combination with the remaining limitations of the claims.

Claims 3-8 are allowed, as the prior art of record does not teach or suggest a connection device for poisoning a gradient coil assembly in a basic field magnet assembly of a magnetic resonance tomograph, wherein the connection device being primarily a closed annular clamp element with a conical internal surface engaging a position of an external surface of the gradient coil assembly, as the clamp element is centered between the gradient coil assembly and the basic magnetic field magnet assembly, in combination with the remaining limitations of the claims.

Claim 14 is allowed, as the prior art of record does not teach or suggest a cylindrical gradient coil assembly in a nuclear magnetic resonance tomograph, wherein the connecting device including an annular clamp element with a conical internal surface engaging a conical external surface at an end of the gradient coil assembly, as

Art Unit: 2859

the clamp element is inserted between the gradient coil assembly and the basic field magnet assembly, in combination with the remaining limitations of the claims.


3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brij B Shrivastav whose telephone number is 571-272-2250. The examiner can normally be reached on 7 AM to 4 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. F. Gutierrez can be reached on 571-272-2245. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

September 9, 2004


Brij B Shrivastav
Primary Examiner
Art Unit 2859